

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

67.39

1939



L. SHERMAN ADAMS CO.

Specialists in Orchids

Growers and Importers

FOREWORD

Our Stock of Price Lists for 1938 has been exhausted, but we hope this mimeographed copy will serve until we can send you our New and Improved List.

The Special Offerings contained in this Price List, are mostly of very easy culture and are all capable of being undertaken by amateurs who achieve success with any other class of plants. We have indicated in each case the type of house each variety prefers, but even this is not a hard and fast rule, for we have repeatedly seen amateurs raising both the cooler and the warmer types in one house by judicious placing of their plants.

The word "Intermediate", following a heading, means these plants do best in a house whose minimum temperature is 58°-60° at night. "Warm" indicates a minimum temperature of 68°-70°. "Cool" indicates a minimum temperature of 50°-52°.

Orchids are extremely satisfactory for small collections, as their lasting qualities while in bloom are superior to those of other plants. Blossoms can be counted on to last from two weeks to two and three months on the plants in perfection. As there are so many varieties, a comparatively small collection will furnish blooms throughout the year. We know of no other genera which will do this. The colors and charm of orchids defy description - their individuality must be actually seen to be appreciated.

The L. Sherman Adams Co. has a fine stock of Exhibition Cattleyas, Cymbidiums, Odontoglossums, Phalaenopsis, and Vandas. Prices and descriptions of these will be sent upon request. We invite your inspection of our collection Saturdays and Sundays, or on week-days by appointment.

L. SHERMAN ADAMS CO.

January 10, 1939

Wellesley, Mass.

1950

BRASSOCATTLEYA (Intermediate)
(In 4 and 5 inch pots)

| | | | |
|------------------|--|---------------|------|
| MARS | (Bc. Mrs. J. Leeman x C. Maggie Raphael, alba) | Fall | \$20 |
| | Purple with golden lip; also a much lighter type with a deeper border on petals | | |
| MRS. CHAS. MARON | (B. Digbyana x C. gigas) | Fall & Winter | \$15 |
| | Mauve with pale lemon yellow in lip | | |
| MRS. J. LEEMAN | (B. Digbyana x C. Dowiana) | Fall & Winter | \$15 |
| | Pale yellow with touches of pinky purple, fringed lip | | |
| NESTOR | (Bc. Mrs. Chas. Maron x C. labiata) | Fall & Winter | \$15 |
| | Mauve | | |

BRASSOLAELOCATTLEYA (Intermediate)
(In 4 and 5 inch pots)

| | | | |
|--------------------------|---|------|------|
| TRUFFAUTIANA, VAR. AUREA | (Bc. Mrs. J. Leeman x Lc. luminosa) | Fall | \$20 |
| | Greeny yellow with striated pinky purple border on petals, fringed lip | | |

CALANTHE LEAD BULBS (Warm)
(In 4 inch pots)

| | | | |
|------------------------|---|-------------|------|
| BARON SCHROEDER | (Regnieri x vestita, gigantea) | Late Winter | \$ 3 |
| | Cream with magenta at center | | |
| BRYAN, VAR. WM. MURRAY | (Vestita, rubro-oculata x Regnieri) | Late Winter | \$ 3 |
| | Lighter than the above type; very large | | |
| FLORENCE | (Sedenii, bella x Veitchii) | Late Winter | \$ 5 |
| | Deep pink | | |
| LASSCELLEANIA | (Parentage unknown) | Late Winter | \$ 3 |
| | White with yellow lip | | |
| SEDENII-HARRISII | (Veitchii x vestita, Turneri) | Late Winter | \$ 2 |
| | Pure white | | |
| VEITCHII Species | Moulmein | Late Winter | \$ 2 |
| | Pale pink | | |

CATTLEYA SPECIES (Intermediate)
(In 4½ and 5 inch pots)

| | | | |
|--------------|--|-----------------|-------------|
| BOWRINGIANA | Brazil | Autumn | \$ 5 |
| | 5 to 20 flowers; violet purple with darker lip | | |
| GASKELLIANA | Venezuela | Late Summer | \$7.50-\$10 |
| | Pale to deep mauve, throat striated with yellow | | |
| GIGAS | Tropical America | Summer | \$10 |
| | Pale to deep rose mauve, lip crimson with yellow markings | | |
| LABIATA | Brazil | Autumn | \$7.50-\$10 |
| | Rosy mauve, very showy; lip crimson purple, frilled and marked with yellow | | |
| MENDELII | Colombia | Late Spring | \$10 |
| | Light blush, frilled lip, crimson or magenta in lip | | |
| MOSSIAE | Venezuela | Spring & Summer | \$10 |
| | Light rosy mauve, with crimson stripes and yellow markings in lip | | |
| PERCIVALIANA | Venezuela | Early Winter | \$5-\$10 |
| | Deep rose mauve, lip richly colored maroon, crimson, pink and golden yellow | | |

| | | | | |
|--|---|--|--------------------|------------|
| SCHROEDERAE | Colombia | | Spring | \$10 |
| | Pale rose, deeper in the lip, throat orange; sweet scented | | | |
| TRIANAE | Colombia | | Winter | \$5-\$7.50 |
| | Blush, purple crimson lip with orange in throat | | | |
| CATTLEYA HYBRIDS (In 4 and 5 inch pots) | | | | |
| AMABILIS | (labiata x gigas) | | Autumn | \$15 |
| | Deep rosy-mauve, dark lip | | | |
| ARMAINVILLIERENSIS | (Mendelii x gigas) | | Spring | \$15 |
| | Pinky-mauve, large purple lip | | | |
| CHESSLER | (gigas x General Pau) | | July-December | \$10 |
| | Blush with vivid purple lip, usually two yellow eyes | | | |
| ENID | (gigas x Mossiae) | | Year round | \$10 |
| | Mauve, with throat marking of the Mossiae type usually | | | |
| FABIA | (Dowiana x labiata) | | Autumn | \$15 |
| | Rosy mauve, rich frilled deep crimson lip with golden veins | | | |
| GUDHARD | (Gudrun x Hardyana) | | July-December | \$20 |
| | White or pale lavender with purple lip, yellow eyes | | | |
| HARDYANA | (Dowiana x gigas) | | Late Summer | \$15 |
| | Deep reddish purple with rich crimson lip, yellow eyes | | | |
| HAROLD | (Gaskelliana x gigas) | | Summer | \$10 |
| | Pale mauve, blotches of yellow in throat | | | |
| JESSUP | (Rene Dubreucq x Dionysius) | | July-December | \$20 |
| | Mauve, rose purple lip with white or yellow eyes; fine texture | | | |
| KIENASTIANA | (Dowiana x Lueddemanniana) | | July-October | \$15 |
| | Dark purple, dark lip golden-veined | | | |
| KING GEORGE | (Dowiana, Rosita x triumphans) | | July-October | \$20 |
| | Yellow with magenta lip, golden-veined | | | |
| MAGGIE RAPHAEL | (Dowiana x Trianae) | | August-November | \$15 |
| | Lavender, large lip with golden veins | | | |
| MAGGIE RAPHAEL, VAR. ALBA | | | September-December | \$25 |
| | White with purple lip, veined with gold | | | |
| MISS WILLIAMS | (Gaskelliana x Harrisoniana) | | August-December | \$20 |
| | Lavender, compact shape, pale yellow in lip; smaller but very distinctive | | | |
| OENONE | (labiata x Mossiae) | | Winter | \$20 |
| | Large mauve flower, purple in lip | | | |
| PORTIA | (Bowringiana x labiata) | | Autumn | \$10 |
| | Deep purple | | | |
| PRESIDENT WILSON | (Fabia x labiata) | | July-November | \$15 |
| | Deep mauve, with purple lip and pale lavender or golden eyes | | | |
| PRINCESS ROYAL | (Fabia x Hardyana) | | July-November | \$15 |
| | Pale to deep mauve, purple lip with golden eyes or veined with gold. | | | |
| PRINCE SCHIMADZU | (Hardyana x Tityus) | | July-November | \$15 |
| | Lavender | | | |
| SUAVIOR | (Intermedia x Mendelii) | | Autumn | \$25 |
| | Blush, yellow in throat | | | |
| VERIFLORA, VAR. ALBA | (labiata x Trianae) | | Autumn | \$20 |
| | Palest blush to white, purple and gold in lip | | | |

COELOGNE (Intermediate)
(In 5 and 6 inch pots)

| | | | | |
|-----------|---------|--|-------------|-----------|
| CRISTATA | Species | East India | Late Winter | \$5-\$10 |
| | | Sprays of purest white flowers with brilliant gold in lip | | |
| PANDURATA | Species | Borneo | Late Summer | \$15-\$25 |
| | | Long sprays of handsome green flowers with brownish black markings; very distinctive | | |

CYMBIDIUM SPECIES (Intermediate and cool)
(In 5 and 6 inch pots)

Blossoming Period from December to April unless otherwise specified.

| | | |
|----------------------------------|--|------|
| HOOKERIANUM | Himalayas | \$15 |
| | Green-brown; large flower | |
| INSIGNE, VAR. SANDERI, MAGNIFICA | Assam | \$25 |
| | Palest pink, with bright crimson spots in lip and bright crimson top of column | |
| TRACYANUM | Burma | \$10 |
| | Pale to medium green with lateral stripes of red | |

CYMBIDIUM HYBRIDS

| | | |
|------------------------|--|---------------|
| BEATRICE | (Unknown parentage) | \$20 |
| | Straw-color, rusty rose in lip | |
| BEATRICE, VAR. SUPERBA | | \$30 |
| | Pale yellow, crimson in lip | |
| CERES | (l'Ansonii x insigne, Sanderi) | \$50 |
| | Lovely deep rose | |
| CHRISTMAS CHEER | (Schlegelii, Mrs. M. A. House x Doris) | |
| | Pink, yellow and bronze types | November \$35 |
| CONINGSBYANUM | (grandiflorum x insigne, Sanderi) | \$25 |
| | Cream flower with pink in lip | |
| DOREEN | (Doris, A. M. x Pauwelsii) | November \$35 |
| | Pink, yellow and bronze types | |
| DORIS | (insigne, Sanderi x Tracyanum) | \$30 |
| | Pale pink, maroon spots in lip | |
| EBURNEO-LOWIANUM | (eburneo x Lowianum) | \$20 |
| | Pale green, rusty-rose bar on lip | |
| LYOTH | (Ceres x insigne, Sanderi) | \$35 |
| | Pale to deep pink; very variable | |
| MOIRA | (Pauwelsii x Tracyanum) | \$20 |
| | Green, striated with light to deep red | |
| PAUWELLSII | (insigne, Sanderi x Lowianum) | \$20 |
| | Straw-yellow, dark lip | |
| SCHLEGELII | (insigne, Sanderi x Wiganianum) | \$25 |
| | Shell pink; large flower | |

CYPRIPEDIUM SPECIES (Intermediate and Warm)

(In 3 and $3\frac{1}{2}$ inch pots unless otherwise noted)

Blossoming Period from November to March unless otherwise specified

| | | |
|-------------------------|--|-------------------------|
| CALLOSUM, VAR. SANDERAE | Siam | \$12 |
| | White with green stripes; foliage marbled | |
| CURTISII | Sumatra | Summer and Various \$ 8 |
| | Dorsal sepal greenish, white margined, purple pouch; foliage tessellated | |

| | | |
|---|--------------------|---------|
| CURTISII, VAR. SANDERAE | Summer and Various | \$12 |
| Pointed dorsal, white with green stripes, pouch green; foliage tessellated | | |
| FAIRREAVUM. Assam | | \$15 |
| Flowers rather small, uniquely charming; dorsal sepal white veined with purple, lip green, flushed with red, veined with purple | | |
| INSIGNE Assam (In 4 and 5 inch pots) | | \$3-\$5 |
| Brown and green types, very variable; very free-flowering | | |
| INSIGNE, VAR. HAREFIELD HALL Assam | | \$7.50 |
| Bold flower, tawny, white-margined upper dorsal with chocolate spots | | |
| INSIGNE, VAR. PUNCTATO-VIOLACEUM | | \$15 |
| Brilliant green, with white-margined upper dorsal with small spots, green and tawny petals | | |
| INSIGNE, VAR. SANDERAE | | 7.50 |
| Honey yellow, upper dorsal white-margined, with a few tiny brown spots at base | | |
| LAWRENCEANUM Borneo | | \$8 |
| Dorsal sepal white with purple red stripes, greenish at base, pouch purple | | |
| VILLOSUM Moulmein | | \$3 |
| Flowers very glossy; dorsal sepal brownish purple at base, then greenish margined with white, petals tawny | | |
| VILLOSUM, VAR. BOXALLII | | \$3 |
| Dorsal sepal heavily spotted with black purple, mar- gined with white, petals greener than the type with red brown markings | | |

CYPRIPEDIUM HYBRIDS
(In 3 and $3\frac{1}{2}$ inch pots unless otherwise noted)

| | |
|---|--------|
| ACTAEUS (insigne x Leeandum) | \$7.50 |
| One of the lighter types, vigorous and free-flowering | |
| ACTAEUS, VAR. BIANCA | \$15 |
| Greenish yellow, of great charm | |
| ADELA (villosum, Boxallii x superbiens) | \$3 |
| Very pretty | |
| A. DIMMOCK (Godseffianum x Druryi) | \$10 |
| Tall stem; very pretty and distinct | |
| ALCIBIADES (Leeandum, giganteum x Mons. de Curte) | \$10 |
| Fine shape, massive flower; dorsal densely spotted with brown and purple; one of the progenitors of best modern types | |
| ALCIBIADES, VAR. ILLUSTRE, F. C. C. | \$10 |
| ALCIBIADES, VAR. MAGNIFICUM, F. C. C. | \$15 |
| Larger than the type | |
| ALCIDES, VAR. C. G. ROEBLING (hirsutissimum x insigne) | \$10 |
| Very striking and unusual coloring | |
| ALMA GEVAERT (Lawrenceanum, Hyeanum x Maudiae) | \$12 |
| Handsome albino of the parent types | |
| ANITA (Actaeus x Sanaderae) | \$20 |
| Pale greenish yellow, of great charm | |
| BINGLEYENSE (Charlesworthii x Harrisianum) | \$20 |
| Highly polished, deep purple rose | |
| CYCLOPS, VAR. WESTONBIRT (Actaeus x fulshawense) | \$25 |
| Bold flower of fine shape, beautiful coloring | |

| | | |
|---|---|---------|
| CYMATODES, VAR. BEECHENSE | (Curtisii x superbiens) | \$25 |
| | Rare and distinctive flower of the longer-petaled type | |
| CYRIL LEE, VAR. F. C. C. M. O. S. | (Idina x Thisbe) | \$25 |
| | Tall stem, finely shaped, spotted-dorsal variety | |
| CYRIL LEE, VAR. MAGNIFICA | | \$25 |
| | Larger than the type | |
| DESDEMONA, VAR. HADDEN HOUSE | (Alcibiades x Mrs. Carey Batten) | \$25 |
| | Tawny brown color | \$20 |
| DREADNAUGHT, F. C. C. VAR. | (insigne, Harefield Hall x Troilus) (In 5 and 6 inch pots) | \$15 |
| | Very bold, massive flower | |
| GOULTENIANUM, VAR. ALBUM | (callosum, Sanderae x Curtisii, Sanderae) | \$20 |
| | Albino of the Curtisii type; very graceful | |
| HANNIBAL | (Var. of nitens-Leeanum) | \$12 |
| | Polished brilliant flower | |
| HARRISIANUM | (barbatum x callosum) (In 4 and 5 inch pots) | \$3-\$5 |
| | Tall, mahogany-color | |
| HOLDENII | (callosum, Sanderae x Maudiae, magnificum) | \$12 |
| | Handsome albino of the parent types | |
| HOLDENII, F. C. C. VAR. | | \$15 |
| HOLDENII, VAR. WESTONBIRT | | \$15 |
| JAMES O'BRIEN | (insigne, Harefield Hall x Mons. de Curte) | \$15 |
| | Improved insigne, Harefield Hall type | |
| KING ALBERT | (Carola x chrysotoxum) | \$15 |
| | Tall, dark reddish-purple flower | |
| KING ARTHUR | (bingleyense x Mons. de Curte) | \$20 |
| | Large dark cypripedium | |
| KING ARTHUR, VAR. ALEXANDRINA | | \$20 |
| LEEEANUM | (insigne x Spicerianum) | \$3-\$5 |
| | Charming flower, white dorsal with central stripe | |
| LORD WOLMER, VAR. DUKE OF MARLBOROUGH, A.M.R.H.S. | | |
| | (Hera x Leeannum) | |
| | Very tall stemmed for the type; distinct and handsome | |
| LORD WOLMER, VAR. VASHTI F. C. C. M. O. S. | | \$20 |
| | Lighter in color than the above | |
| MAUDIAE | (callosum, Sanderae x Lawrenceanum, Hyeanum) All Seasons | \$12 |
| | Handsome albino of the parent types | |
| MAUDIAE, CUSSON'S VAR. | | \$15 |
| MAUDIAE, VAR. MAGNIFICUM | | \$15 |
| MAUDIAE, VAR. WESTONBIRT | | \$15 |
| NITENS | (insigne x villosum) | \$3 |
| | Green and tawny, dorsal heavily spotted | |
| NITENS, VAR. SALLIERII | | \$3 |
| | Larger and more darkly spotted than the above | |
| OLIVIA | (niveum x tonsum) | \$15 |
| | Lovely pale pink with tiny purple spots | |
| PAULINE | (Holdenii x Lawrenceanum, var. Hyeanum) | \$20 |
| | Albino of the slightly drooping-petal type | |
| ROYAL GEORGE, F. C. C. VAR. | (Harrisianum x Minos, Youngii) | \$20 |
| | Bold and showy flower of dark purple-rose with lighter shadings | |
| SAN-ACTAEUS, VAR. YELLOW GEM | (insigne, Sanderae x Actaeus) | \$20 |
| | Improved insigne, Sanderae type | |

| | | |
|--|-------------------------------------|--------|
| SELLIGERUM, VAR. MAJUS | (barbatum x Philippinense) | \$10 |
| Interesting and odd | | |
| ST. ALBANS | (Antigone x Harrisianum) | \$7.50 |
| Deep purple red | | |
| THE PREMIER | (Mons. de Curte x Mrs. Wm. Mostyn) | \$15 |
| Showy flower; dorsal-sepal grass green, white-margined | | |
| with brown purple spots | | |
| THISBE | (Cymatodes, beechense x Fairreanum) | \$25 |
| Charming free-flowering plant of the dark, heavily- | | |
| spotted variety | | |
| TOM WORSLEY, F. C. C. M. O. S. | (Actaeus, langleyensis | |
| x Helen II) | | \$25 |
| Lovely cream-yellow flower, lightly spotted dorsal | | |
| W. W. LUNT | (villosum, Boxallii x insigne) | \$3 |

DENDROBIUM (Intermediate & Warm)
(In 3 and 3½ inch pots)

| | | | | |
|---------------|-------------------------------------|---|--------|-----------|
| CHRYSOTOXUM | Species | Moulmein | Summer | \$20 |
| | | Orange yellow | | |
| NOBILE | Species | India and China | Spring | \$5 |
| | | White with purple tipped petals and lip | | |
| PHALAEONOPSIS | Species | No. Australia | Autumn | \$10-\$25 |
| | | Long sprays of pale to deep mauve; beautifully shaped | | |
| | | flowers of great delicacy and charm | | |
| THWAITESIAE | (Ainsworthii, splendidum x Wiganiæ) | | Spring | \$15-\$25 |
| | | Yellow with brown in lip | | |

LAELIA (Intermediate)

| | | | |
|-----------|--------|--|-----------|
| ANCEPS | Mexico | (In 5 to 7 inch pots) | \$5-\$10 |
| | | Rosy mauve, brilliant purple lip | |
| CRISPA | Brazil | (In 6 to 8 inch pots) | \$10-\$15 |
| | | White with bright purple-veined lip | |
| PURPURATA | Brazil | (In 5 and 6 inch pots) | \$15-\$20 |
| | | White tinged with rose, rich crimson-purple lip with | |
| | | yellow in throat | |

LAELIOCATTLEYA (Intermediate)
(In 4 and 5 inch pots)

| | | | |
|-----------------------|-------------------------------------|------------------|------|
| BARBAROSSA | (C. Trianae x Lc. callistoglossa) | August-February | \$20 |
| | Pale mauve, very dark lip | | |
| BELLA | (C. labiata x L. purpurata) | October-February | \$10 |
| | Lavender, large dark lip | | |
| CALLISTOGLOSSA | (C. gigas x L. purpurata) | Summer | \$15 |
| | Blush, with brilliant lip | | |
| CANHAMIANA | (C. Mossiae x L. purpurata) | Spring | \$10 |
| | Deep mauve with veined purple lip | | |
| CANHAMIANA, VAR. ALBA | | Spring | \$20 |
| | White, with purple lip | | |
| CHEERFUL | (C. Leda x Lc. Delight) | October-December | \$15 |
| | Yellow and bronze types; purple lip | | |
| HERSENTIOSA | (Lc. Hersentiae x Lc. luminosa) | July-November | \$15 |
| | Mauve | | |
| LUMINOSA, VAR. AUREA | (C. Dowiana x L. tenebrosa) | Autumn | \$25 |
| | Deep bronze, intense purple lip | | |

| | | | | |
|------------|------------------------------------|--|--------------|------|
| MARTINETII | (C. Mossiae x L. tenebrosa) | | Summer | \$20 |
| | Pale bronze, purple lip | | | |
| SHOGUN | (Lc. Martineti x L. tenebrosa) | | Late Summer | \$20 |
| | Bronze, purple lip | | | |
| VERONICA | (Lc. Vera x C. Gaskelliana) | | July-October | \$15 |
| | Mauve, throat striated with yellow | | | |

MILTONIA (Intermediate)
(In 3 and $3\frac{1}{2}$ inch pots)
Blossoming Period from April to July

| | | | |
|--------------------------|---|--|-------------|
| BLEUANA | (vexillaria x Roezli) | | \$7.50-\$10 |
| | White, pale bronze center | | |
| CHARLESWORTHII | (vexillaria, Mem. G. D. Owen x Hyeania) | | \$10-\$15 |
| | Brilliant mauve-pink, large maroon blotch at center | | |
| MARIETTA ARMACOST | (Reine Elizabeth x Charlesworthii, Armacost-various types) | | \$10-\$25 |
| | Very variable; handsome and showy | | |
| ST. ANDRE | (Bleuana, Sanders x Roezli) | | \$7.50-\$10 |
| | White with rose markings | | |
| VEXILLARIA, SPECIAL VAR. | Species Colombia | | \$15-\$25 |
| | Rose with yellow at center; superior type | | |

ONCIDIUMS
(Cool, Intermediate and Warm, depending on variety)

These are all wide branching sprays of brilliant lemon-colored flowers. No collection is complete without them and the different varieties insure flowers throughout most of the year.

| | | | | |
|---------------|---------|----------------|-------------------------------|-------------|
| FLEXUOSUM | Species | Brazil | Spring and Fall (5 in. pots) | \$5-\$10 |
| LURIDUM | " | West Indies | Spring (5-6 in. pots) | \$10-\$15 |
| SPACELATUM | " | Mex. & W. Ind. | Spring (6-8 in. pots) | \$7.50-\$15 |
| SPLENDIDUM | " | Guatemala | Winter (5-6 in. pots) | \$10-\$15 |
| VARICOSUM | | | | |
| VAR. ROGERSII | " | Brazil | Fall to Winter (4-5 in. pots) | \$10-\$15 |

PHALAEOPSIS SPECIES (Warm)
(In 4 and 5 inch pots)
Blossoming Period from January to April

| | | | |
|-----------------------------|--|--|-----------|
| AMABILIS, VAR. RIMESTADIANA | Java | | \$10-\$20 |
| | Pure white, very large, yellow in lip | | |
| SCHILLERIANA | Philippines | | \$10-\$15 |
| | Lovely mauve-pink, small maroon spots in lip | | |

PHALAEOPSIS HYBRIDS
(In $3\frac{1}{2}$ and 4 inch pots)

| | | | |
|-----------------------------------|-----------------------------|--|------|
| ALPHA | (Confirmation x Sanderiana) | | \$10 |
| | Blush and pink flushed | | |
| AMABILIS, VAR. ELIZABETHAE | (amabilis x Rimestadiana) | | \$15 |
| | Pure white, yellow in lip | | |
| AMABILIS, VAR. KATHERINE SIEGWART | (amabilis x Gilles Gratiot) | | \$15 |
| | Pure white, yellow in lip | | |

| | | |
|--------------|---|------|
| CONFIRMATION | (amabilis, Rimestadiana x Schilleriana) | \$10 |
| | Blush and pink flushed | |
| GRANDE CONDE | (Schilleriana x Sanderiana) | \$10 |
| | Blush and pink flushed | |

| | | |
|---------|-----------------------------------|------|
| RONAELE | (Gillis Gratiot x Rothschildiana) | \$20 |
| | Pure white, yellow in lip | |

RENANTHERA (Warm)

| | | | |
|----------|---|--------------------|------|
| COCCINEA | Burma | Spring (5 in.pots) | \$15 |
| | Tall spikes of many flowers, blood-red, spotted with yellow | | |

SCHOMBURGKIA (Warm)

| | | | |
|------------|--|-----------------------|-----------|
| SUPERBIENS | Guatemala | Summer (6-8 in. pots) | \$10-\$25 |
| | Very tall spikes of many flowers, deep rose, crimson lip | | |
| TIBICINIS | Honduras | Summer (5-6 in. pots) | \$7.50 |
| | Tall spikes of undulate reddish-brown, with orange | | |
| | yellow in lip | | |
| UNDULATA | Colombia | Spring (5-6 in. pots) | \$10-\$15 |
| | Tall spikes of undulate purple-brown flowers, | | |
| | lip pale rose and white | | |

VANDA (Intermediate and Warm)

| | | | | |
|------------|---|---------------------------|-----------------------------------|----------------|
| COERULEA | Species | Burma | September-December (5-7 in. pots) | \$10-\$15-\$25 |
| | The famous "blue" orchid. | Sprays of round pale blue | | |
| | flowers with purple sapphire at center | | | |
| SANDERIANA | Species | Philippines | Late Summer (7-8 in. pots) | \$30-\$50 |
| | Magnificent flowers, large, round and amazingly colored | | | |
| SUAVIS | Species | Java | March (8-12 in. pots) | \$25-\$30 |
| | White, heavily spotted with blood-purple, lip deep | | | |
| | purple; beautiful and unusual | | | |
| TERES | Species | India | Spring (4 in. pots) | \$7.50 |
| | Lovely round flowers of light rose and rose-magenta, | | | |
| | with orange-yellow and red spots in lip | | | |

ZYGOPETALUM (Intermediate and Warm)

| | | | | |
|---------|--|--------|------------------------------|--------|
| MACKAYI | Species | Brazil | Autumn & Winter (4 in. pots) | \$7.50 |
| | Yellowish-green, blotched with brown, petals and sepals | | | |
| | forming a crest of bluish-green; very striking and unusual | | | |

SEEDLINGS

2 - 2½ - 3 inch pots \$2.50 to \$5
(Unless otherwise stated)

Our seedlings come from unusually fine parents and should produce superior plants. Only healthy, strong stock offered.

BRASSOCATTLEYA

Bc. Mrs. J. Leeman x Bc. Albion
C. Dusseldorffei, Undine x Bc. Digbyano-Mendelii

BRASSOLAELOCATTLEYA

Bc. Menda x Lc. Locarno

1. Geometrical
2. Algebraical
3. Calculus

Geometrical Method

1. Method of exhaustion
2. Method of Archimedes

Calculus

1. Calculus of variations
2. Calculus of finite differences
3. Calculus of probability
4. Calculus of errors

Algebraical Method

1. Method of successive approximations
2. Method of undetermined coefficients
3. Method of successive substitutions
4. Method of successive differences
5. Method of successive integrations
6. Method of successive differentiation
7. Method of successive ratios
8. Method of successive residuals

Geometrical Method

1. Method of exhaustion
2. Method of Archimedes

Calculus

1. Calculus of variations
2. Calculus of finite differences
3. Calculus of probability
4. Calculus of errors

Algebraical Method

1. Method of successive approximations
2. Method of undetermined coefficients
3. Method of successive substitutions

4. Method of successive ratios

CATTLEYA

Harold, alba x Sylvia
Sylvia x Hardyana, alba
Mossiae x Enid
intermedia, alba x Dusseldorffei, Undine
Maggie Raphael x Lancing
Luegeae, Dark var. x Comet, Dark var.
H. S. Leon x Enid
Mossiae, Wageneri x gigas, Firmen Lambeau
Mrs. Myra Peters x Harold, alba
Fabia, alba x Enid, alba
Enid, alba x speciosissima, Stanleyii
Trianae, var. Liberty x Enid
Mendelii, Special var. x Warneri, Alba

LAELIOCATTLEYA

Lc. Queen Mary x C. Mantinii
C. Bertii x Lc. Ibbie
C. Fabia, Dark var. x Lc. St. Gothard
C. Tityus x Lc. Massasoit, Dark var.
L. anceps, alba x C. intermedia, alba
C. van Houtte x Lc. Herald, Low's var.
Lc. Soulange x C. labiata
L. purpurata x C. Mossiae, Reineckiana

SOPHROLAELOCATTLEYA

C. Trianae x Slc. Prince Hirohito
Lc. D. S. Brown x Slc. Sir Joseph Charlesworth
C. Trianae x Slc. Lustre

PERISTERIA (Warm)

elata (The Dove Orchid) (3½-4 in. pots) \$5-\$7.50

Flowering Size - 4 - 5 inch pots

BRASSOCATTLEYA

B. Digbyana x C. Hardyana

BRASSOLAELOCATTLEYA

Bl. Helen x C. Bardic

CATTLEYA

Phoebe Snow x Dusseldorffei, Undine
Hardyana, alba x amabilis, alba
Hardyana, alba x Hardyana, alba

LAELIOCATTLEYA

C. Kienastiana x Lc. luminosa, aurea
Lc. Don Juan x C. Tityus, gigantea
Lc. J. J. Ansalda x C. amabilis

PHALAENOPSIS

Elizabethae x Gilles Gratiot
amabilis, Rimestadiana x Schilleriana
amabilis x amabilis, Rimestadiana
Gilles Gratiot x Rothschildiana
Rothschildiana x Gyp

\$3-\$5-\$8
\$5-\$8-\$10
\$5-\$8-\$10

coerulea

VANDA

(3-4 in. pots)

\$7.50-\$10

